

Special Order





1269E Cast Iron



1269E Standard Features





Up to 54,000 BTU's	4.2 Grams per Hour
Up to 900 Sq. Ft.	1.32 Cu. Ft. Firebox
6" Flue Collar	22" Log Length
Heavy Duty Cast Iron	Weight: 120 lbs.
2 Piece Spring Handle	Canada Approved

Dimensions



Clearances





2469E Cast Iron



2469E Standard Features

EPA

Up to 94,000 BTU's

4.2 Grams per Hour

Up to 1,600 Sq. Ft.

27" Log Length


6" Flue Collar

Weight: 205 lbs.



2 Piece Spring Handle

Canada Approved

Dimensions



Clearances





1869 Cast Iron



1869 Standard Features

Up to 75,000 BTU's

Up to 1,500 Sq. Ft.

Single 8" Lid

40 lb. Coal Capacity

6" Round Flue Collar


1.7 Cu. Ft. Firebox

Weight: 216 lbs.

Dimensions



Clearances





VG150 Standard Features




Up to 68,000 BTU's	100 CFM Blower
Up to 1,200 Sq. Ft.	2.85 Grams per Hour
Air Wash Glass	1.62 Cu. Ft. Firebox
6" Flue Collar	17" Log Length
Spring Handle	Weight: 242 lbs.

Dimensions



Clearances





2016EB Wood Stove



2016EB Standard Features




Up to 103,000 BTU's	Ash Pan Included
Up to 1,700 Sq. Ft.	100 CFM Blower
Air Wash Glass	3.7 Grams per Hour
6" Flue Collar	1.71 Cu. Ft. Firebox
Large Viewing Window	22" Log Length
Heavy Duty Plate Steel	Weight: 315 lbs.

Dimensions



Clearances





2000 Wood Stove




2000 Standard Features

Up to 89,000 BTU's	Large Viewing Window
Up to 2,000 Sq. Ft.	2.88 Grams per Hour
Air Wash Glass	21" Log Length
6" Flue Collar	1.99 Cu. Ft. Firebox
Spring Handle	100 CFM Blower
Ash Pan Included	Weight: 335 lbs.



Clearances



Dimensions





2500 Wood Stove




2500 Standard Features

Up to 112,000 BTU's	Ash Pan Included
Up to 2,500 Sq. Ft.	3.06 Grams per hour
Air Wash Glass	2.55 Cu. Ft. Firebox
6" Flue Collar	100 CFM Blower
Spring Handle	21" Log Length
Large Viewing Window	Weight: 350 lbs.



Clearances



Dimensions





3000 Wood Stove




3000 Standard Features

Up to 123,000 BTU's	Ash Pan Included
Up to 3,000 Sq. Ft.	1.9 Grams per hour
Air Wash Glass	3.36 Cu. Ft. Firebox
6" Flue Collar	100 CFM Blower
Spring Handle	21" Log Length
Large Viewing Window	Weight: 420 lbs.



Clearances



Dimensions





2200IE Wood Insert




2200IE Standard Features




Up to 69,000 BTU's	150 CFM Blower
Up to 1,800 Sq. Ft.	4.02 Grams per Hour
Air Wash Glass	1.42 Cu. Ft. Firebox
6" Flue Collar	18" Log Length
Spring Handle	Weight: 305 lbs.
Large Viewing Window	Canada Approved

Dimensions



Clearances





AW180 Wood Stove





Also Available in Legs or Insert

AW180 Standard Features

Up to 79,000 BTU's	3.12 Grams per Hour
Up 1,200 Sq. Ft.	1.75 Cu. Ft. Firebox
Air Wash Glass	100 CFM Blower
Spring Handle	17" Log Length
Large Viewing Window	Weight: 300 lbs.



Clearances



Dimensions



AW180P



AW180L



AW180i





AW740 Wood Stove



Also Available in Legs or Insert



AW740 Standard Features

Up to 113,000 BTU's	2.47 Grams per Hour
Up to 2,600 Sq. Ft.	2.56 Cu. Ft. Firebox
Air Wash Glass	100 CFM Blower
Spring Handle	22" Log Length
Large Viewing Window	Weight: 385 lbs.



AW740P




AW740L



AW740i



Clearances



Dimensions





AC2000 Wood Stove




AC2000 Standard Features

Up to 89,000 BTU's	Cast Iron Finish
Up to 2,000 Sq. Ft.	3.69 Grams per Hour
Air Wash Glass	2.01 Cu. Ft. Firebox
Spring Handle	100 CFM Blower
Large Viewing Window	21" Log Length



Clearances



Dimensions





AWC31 Wood Stove



Also Available in Mahogany and Black





AWC31 Standard Features

Up to 89,000 BTU's	Ash Drawer Included
Up to 2,000 Sq. Ft.	3.69 Grams per Hour
Air Wash Glass	1.9 Cu. Ft. Firebox
Spring Handle	100 CFM Blower
2" Fresh Air Outlet	21" Log Length
Large Viewing Window	



Clearances



Dimensions



AWC31R



AWC31B



AWC31M



TR001WS Wood Stove




TR001WS Standard Features

Up to 68,000 BTU's	100 CFM Blower
Up to 1,200 Sq. Ft.	4.22 Grams per Hour
6" Flue Collar	1.64 Cu. Ft. Firebox
Air Wash Glass	17" Log Length
Viewing Window	Weight: 270 lbs.



Clearances



Dimensions






TR001B Standard Features

Up to 68,000 BTU's	100 CFM Blower
Up to 1,200 Sq. Ft.	4.22 Grams per Hour
Air Wash Glass	1.64 Cu. Ft. Firebox
6" Flue Collar	17" Log Length
Viewing Window	Weight: 265 lbs.



Clearances



Dimensions






TR007 Standard Features

Up to 152,000 BTU's	100 CFM Blower
Up to 3,200 Sq. Ft.	3.2 Grams per Hour
Air Wash Glass	Large Ash Pan
6" Flue Collar	22" Log Length
Spring Handle	Weight: 400 lbs.
Large Viewing Window	



Clearances



Dimensions





TR009 Standard Features

Up to 119,000 BTU's

Up to 2,200 Sq. Ft.

20" Log Length

6" Flue Collar

Spring Handle

Large Viewing Window

100 CFM Blower

3.73 Grams per Hour


2.08 Cu. Ft. Firebox

Ash Pan Included


Weight: 356 lbs.



Clearances



Dimensions





AW100E Wood Circulator




AW100E Standard Features


Up to 60,000 BTUs	Firebrick Lined
Up to 1,200 Sq. Ft.	4.0 Grams per Hour
6" Flue Collar	2.35 Cu. Ft. Firebox
Cool to the Touch	23" Log Length
Optional 100 CFM Blower	Weight: 265 lbs.



Clearances



Dimensions





B2350 Coal Circulator



B2350 Standard Features




Up to 106,000 BTUs	50 lb. Coal Capacity
Up to 1,800 Sq. Ft.	4.05 Cu. Ft. Firebox
Heavy Duty Cast Iron Grate	Ash Pan
Optional 100 CFM Blower	Weight: 250 lbs.

Dimensions



Clearances





Camp Stove Kit



Damper



Flue Collar



2 Legs



Cast Iron Door

Camp Stove Features

All Cast Iron Construction

Damper Included

Fits 55 Gallon Drum

Cam Lock Latch

Barrel Available, Model DR55

Camp Stove Kit Includes:

Cast Iron Door

2 Legs

Flue Collar

Damper

BKAD500



0 12685 00500 3

BSK1000



0 12685 01000 7



AP5780 Pellet Stove

Optional Side Panel Colors:
Black, Polished Steel, Stainless Steel



AP5780 Standard Features

Up to 48,000 BTUs	Depth 22.25 inches
Up to 2,200 Sq. Ft.	Width: 20.81 inches
46 lb. Hopper Capacity	Height: 37.16 inches
100 CFM Blower	Weight: 180 lbs.

AP5780SS



AP5780B



AP5780PS





APC4000 Pellet Stove



Also Available in Mahogany and Black



APC4000 Standard Features

Up to 42,000 BTUs

1.37 Grams per Hour

Up to 2,000 Sq. Ft.

45 lb. Capacity

3" Flue Outlet

120 CFM Blower

Ash Pan Included

Weight: 315 lbs.

Porcelain Enamel Finish



APC4000R




APC4000M



APC4000B



Clearances



Dimensions





GW1949 Pellet Stove






GW1949 Standard Features

Up to 40,000 BTUs	60 lb. Hopper Capacity
Up to 2,000 Sq. Ft.	1.9 Grams per hour
No Electricity Needed	Ash Pan included
Small Viewing Window	Gravity Fed
Silent Operation	No Moving Parts
Easy Feed and Output Adjustments	for less Maintenance
Weight: 131 lbs.	



Clearances

Dimensions





5501S Pellet Stove



5501S Standard Features

Up to 48,000 BTUs

0.87 Cu. Ft. Firebox

Up to 2,000 Sq. Ft.

1.03 Grams per hour

Air Wash Glass


20 lb. Hopper Capacity

100 CFM Blower

Weight: 131 lbs.



Clearances



Dimensions





5040 Pellet Stove




5040 Standard Features

Up to 40,000 BTUs	4 Heat Settings
Up to 1,800 Sq. Ft.	Thermostat Ready
Air Wash Glass	1.37 Grams per hour
120 CFM Blower	45 lb. Hopper Capacity
Digital Controls	LED Display
Large Viewing Window	Weight: 190 lbs.



Clearances



Dimensions





5500M Pellet Stove




5500M Standard Fea-

Up to 48,000 BTU's	1.6 Grams per hour
Up to 2,200 Sq. Ft.	Integrated Damper Control
120 CFM Blower	120 lb. Hopper Capacity
Digital Controls	Weight: 255 lbs.



Clearances



Dimensions





5660 Pellet Stove




5660 Standard Features

Up to 48,000 BTU's	Integrated Damper Control
Up to 2,200 Sq. Ft.	Remote Control Included
Air Wash Glass	1.92 Grams per hour
200 CFM Blower	50 lb. Hopper Capacity
6 Heat Settings	Weight: 270 lbs.
LED Display	



Clearances



Dimensions





6041 Multi-Fuel Stove



Available in Pedestal, Legs, or Insert



6041 Standard Features

Up to 52,000 BTU's	1.5 Grams per hour
Up to 2,000 Sq. Ft.	60 lb. Hopper Capacity
120 CFM Blower	Stove Weight (Legs): 320 lbs.
Ash Pan Included	Stove Weight (Insert): 309 lbs.
Stove Weight (Pedestal): 320 lbs.	



6041 Pedestal





6041HF Legs




6041i Insert



Clearances



Dimensions







VG5770 Standard Features

Up to 48,000 BTU's	Remote Control Included
Up to 2,200 Sq. Ft.	3.17 Grams per Hour
200 CFM Blower	60 lb. Hopper Capacity
LED Display w/thermostat	Weight: 245 lbs.



Dimensions

Clearances




VG5790 Pellet Stove





VG5790 Standard Features

Up to 65,000 BTU's	200 CFM Blower
Up to 2,800 Sq. Ft.	Large 120 lb. Hopper
Remote Control Included	3.17 Grams per Hour
LED Display w/thermostat	Weight: 265 lbs.



Clearances



Dimensions





Direct Vent Gas



DV Standard Features

DV12	DV20
Up to 11,000 BTUs	Up to 17,000 BTUs
Up to 275 Sq. Ft.	Up to 425 Sq. Ft.
7 Heat Settings	7 Heat Settings
Natural or LP Gas	Natural or LP Gas
All Venting Included	All Venting Included
Matchless Piezo Ignition	Matchless Piezo Ignition
Weight: 33.7 lbs.	Weight: 48.7 lbs.



DV12




Clearances

DV20




Dimensions

Model AGDV12



Model AGDV20



AGDV12L



AGDV12N



AGDV20L



AGDV20N






AGVF340 Vent Free Gas Heater



AGVF340 Standard Features

Up to 33,000 BTUs	Depth: 16.5"
Up to 1,100 Sq. Ft.	Width: 38"
LP or Natural Gas	Height: 23.75"
Blower Included	Weight: 150 lbs.
Hidden Controls	

Clearances



Available Options Include:



AGVF340 w/ Leg Kit



AGVF340 w/ Insert Kit



AGVF340LP



AGVF340N



PLEASE SEE REVERSE SIDE FOR DETAILS ON OUR MANTLE KITS!



AGVF340MK Vent Free Gas Heater Optional Mantle Kit




Mantle Dimensions

Width: 56.5"

Depth: 19.5"

Height: 37.5"

Clearances



Finish Options Include:



AGVF340-W
White



0 12685 70734 1



AGVF340-O
Light Oak



0 12685 70934 5



AGVF340-B
Black Walnut



0 12685 70834 8



AGVF340MK
Unfinished



0 12685 70485 2



0 12685 70485 2



AGC500VFR Vent Free Gas Stove




Standard Features

Up to 31,000 BTUs	Decorative Logs
Up to 1,000 Sq. Ft.	Safety Shut Off Valve
LP or Natural Gas	Cool to the Touch
No Electricity Needed	Front and Top Heat Outlets
Porcelain Enamel Finish	99% Efficiency

Dimensions



Clearances



AGC500VFRLP



AGC500VFRN






HCGB1 Standard Features

Up to 43,500 BTUs
Authentic Wine Barrel Design
Stainless Steel Burner
Utilizes a 20 lb.
Propane Cylinder
Bourbon Colored Media

Easy to use push start ignition
Height: 28"
Diameter: 18.125"
Weight: 90 lbs.



Dimensions



HCGV1 Gas Vase



HCGV1 Standard Features

43,500 BTU's

Stainless Steel Burner

Utilizes a 20 lb.
Propane Cylinder

Clear Glass Media

Easy to use push start ignition

Weight: 128 lbs.



Dimensions





1330E Furnace




1330E Standard Features



Up to 120,000 BTU's	Firebrick Lined
Up to 2,000 Sq. Ft.	550 CFM Blower
0.509 lb/mm btu	Dual 8" Duct
21" Log Length	Weight: 350 lbs.

Dimensions





1440E Furnace



1440E Standard Features



Up to 140,000 BTU's

Up to 2,500 Sq. Ft.

.385 lb/mm btu

27" Log Length

Firebrick Lined

Twin 550 CFM Blower


Dual 8" Duct

Weight: 450 lbs.

Dimensions



24.25"



40.25"

41.25"



0 12685 71440 0



1500 Furnace



1500 Standard Features




Up to 139,000 BTU's	Firebrick Lined
Up to 2,500 Sq. Ft.	6.88 Cu. Ft. Firebox
70 lb. Coal Capacity	Dual 8" Duct
Twin 550 CFM Blowers	Weight: 485 lbs.

Dimensions



24.25"



40.25"

53.5"



0 12685 01500 2



1660E Furnace



1660E Standard Features



Up to 180,000 BTU's

Firebrick Lined


Up to 3,000 Sq. Ft.

6.29 Cu. Ft. Firebox

28" Log Length

Twin 800 CFM Blowers

Dimensions





8500 Pellet Furnace



8500 Standard Features

Up to 105,000 BTU's

0.53 lb/mm btu

Up to 3,000 Sq. Ft.

Firebrick Lined

160 lb. Hopper Capacity

Twin Blowers

Weight: 515 lbs.



Dimensions



29"



43"

